

TABLE NO. 6 (1 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-2 (0-2.5)	PB-2 (2.5-5)	PB-2C (0-2.5)	PB-2D (0-2.5)	PB-2D (2.5-5)	PB-2F (0-2.5)	PB-2I (0-2.5)	PB-3 (0-3)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/18/10	10/18/10	9/28/10	10/18/10	10/18/10	9/28/10	9/28/10	8/25/10						
Aroclor 1016	<0.189	<0.0218	<0.380	<0.190	<0.0223	<0.203	<0.968	< 0.089	--	--	--	--	--	--
Aroclor 1221	<0.189	<0.0218	<0.380	<0.190	<0.0223	<0.203	<0.968	< 0.089	--	--	--	--	--	--
Aroclor 1232	<0.189	<0.0218	<0.380	<0.190	<0.0223	<0.203	<0.968	< 0.089	--	--	--	--	--	--
Aroclor 1242	<0.189	<0.0218	<0.380	<0.190	<0.0223	0.847	<0.968	< 0.089	--	--	--	--	--	--
Aroclor 1248	<0.189	<0.0218	<0.380	<0.190	<0.0223	<0.203	<0.968	< 0.089	--	--	--	--	--	--
Aroclor 1254	<b>2.03</b>	<0.0218	<b>1.31</b>	<b>4.35</b>	<0.0223	<0.203	<b>4.23</b>	< 0.089	--	--	--	--	--	--
Aroclor 1260	0.459	<0.0218	<0.380	<b>1.93</b>	0.0349	0.218	<b>2.27</b>	0.24	--	--	--	--	--	--
Total PCBs	<b>&lt; 3.15</b>	< 0.12	<b>&lt; 3.02</b>	<b>&lt; 6.94</b>	< 0.14	<b>&lt; 1.88</b>	<b>&lt; 9.89</b>	< 0.64	1.0	--(1)	1.0	--(1)	--(1)	--(1)

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (2 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-3F (0-2.5)	PB-3H (0-2.5)	PB-3I (0-2.5)	PB-5 (4-8)	PB-6 (0-3)	PB-6A (2.5-5)	PB-6A (5-7.5)	PB-6B (0-2.5)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	9/28/10	9/28/10	9/28/10	8/25/10	8/25/10	9/24/10	9/24/10	9/24/10						
Aroclor 1016	< 0.225	< 0.0402	< 0.0465	< 0.096	< 0.1	< 0.12	< 0.12	< 0.12	--	--	--	--	--	--
Aroclor 1221	< 0.225	< 0.0402	< 0.0465	< 0.096	< 0.1	< 0.12	< 0.12	< 0.12	--	--	--	--	--	--
Aroclor 1232	< 0.225	< 0.0402	< 0.0465	< 0.096	< 0.1	< 0.12	< 0.12	< 0.12	--	--	--	--	--	--
Aroclor 1242	< 0.225	< 0.0402	< 0.0465	< 0.096	< 0.1	< 0.12	< 0.12	< 0.12	--	--	--	--	--	--
Aroclor 1248	< 0.225	< 0.0402	< 0.0465	< 0.096	< 0.1	<b>3</b>	< 0.12	<b>2.3</b>	--	--	--	--	--	--
Aroclor 1254	< 0.225	< 0.0402	< 0.0465	< 0.096	<b>3.6</b>	<b>8.2</b>	< 0.12	<b>7.1</b>	--	--	--	--	--	--
Aroclor 1260	< 0.225	< 0.0402	< 0.0465	< 0.096	<b>3.3</b>	<b>2.5</b>	< 0.12	<b>3.3</b>	--	--	--	--	--	--
Total PCBs	<b>&lt; 1.24</b>	< 0.22	< 0.26	< 0.58	<b>&lt; 7.25</b>	<b>&lt; 14.00</b>	< 0.66	<b>&lt; 13.00</b>	1.0	--(1)	1.0	--(1)	--(1)	--(1)

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (3 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-6B (2.5-5)	PB-6C (0-2.5)	PB-6C (2.5-5)	PB-6D (0-2.5)	PB-6D (2.5-5)	PB-6E (0-2.5)	PB-6E (2.5-5)	PB-6F (0-2.5)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	9/24/10	9/24/10	9/24/10	9/24/10	9/24/10	9/24/10	9/24/10	9/28/10						
Aroclor 1016	< 0.12	< 0.13	< 0.12	< 0.11	< 0.12	< 2.3	< 0.13	< 0.12	--	--	--	--	--	--
Aroclor 1221	< 0.12	< 0.13	< 0.12	< 0.11	< 0.12	< 2.3	< 0.13	< 0.12	--	--	--	--	--	--
Aroclor 1232	< 0.12	< 0.13	< 0.12	< 0.11	< 0.12	< 2.3	< 0.13	< 0.12	--	--	--	--	--	--
Aroclor 1242	< 0.12	< 0.13	< 0.12	< 0.11	< 0.12	< 2.3	< 0.13	< 0.12	--	--	--	--	--	--
Aroclor 1248	0.74	<b>19</b>	< 0.12	<b>1.7</b>	0.45	<b>4.3</b>	< 0.13	< 0.12	--	--	--	--	--	--
Aroclor 1254	<b>1.9</b>	<b>47</b>	0.18	<b>6.3</b>	<b>1.1</b>	<b>8.6</b>	0.51	<b>2.4</b>	--	--	--	--	--	--
Aroclor 1260	<b>1.3</b>	<b>17</b>	< 0.12	<b>2.5</b>	<b>1.0</b>	<b>4.8</b>	0.31	<b>1.7</b>	--	--	--	--	--	--
Total PCBs	< <b>3.5</b>	< <b>83.32</b>	< 0.72	< <b>10.78</b>	< <b>2.85</b>	< <b>23.45</b>	< <b>1.28</b>	< <b>4.52</b>	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (4 of 14) Soil Sample Analytical Results: PCBs								Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
								Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-6H (0-2.5)	PB-6G (0-2.5)	PB-6I (0-2.5)	PB-7 (6-8)	PB-21 (0-4)	PB-22 (0-4)	PB-23 (0-4)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	9/28/10	9/28/10	9/28/10	9/2/10	9/27/10	9/27/10	9/27/10						
Aroclor 1016	< 0.12	< 0.12	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1221	< 0.12	< 0.12	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1232	< 0.12	< 0.12	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1242	< 0.12	< 0.12	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1248	0.56	< 0.12	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1254	<b>1.1</b>	<b>1.0</b>	<b>5.66</b>	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Aroclor 1260	0.64	0.59	<0.840	< 0.093	< 0.04	< 0.0421	< 0.136	--	--	--	--	--	--
Total PCBs	< <b>2.6</b>	< <b>2.01</b>	< <b>9.44</b>	< 0.51	< 0.22	< 0.23	< 0.75	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (5 of 14) Soil Sample Analytical Results: PCBs								Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
								Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-24 (0-4)	PB-24 (4-8)	PB-25 (0-4)	PB-25 (4-8)	PB-34 (0-4)	PB-34 (4-8)	PB-35 (0-4)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	9/27/10	9/27/10	9/27/10	9/27/10	10/12/10	10/12/10	10/12/10						
Aroclor 1016	0.5	< 0.043	0.4	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1221	< 0.12	< 0.043	< 0.12	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1232	< 0.12	< 0.043	< 0.12	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1242	< 0.12	< 0.043	< 0.12	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1248	<b>1.2</b>	< 0.043	<b>1.6</b>	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1254	<b>5.1</b>	< 0.043	<b>2.9</b>	< 0.0434	<0.0209	<0.0199	<0.0212	--	--	--	--	--	--
Aroclor 1260	<b>5.4</b>	< 0.043	<b>1.0</b>	< 0.0434	<0.0209	<0.0199	0.0217	--	--	--	--	--	--
Total PCBs	< <b>12.38</b>	< 0.24	< <b>6.08</b>	< 0.24	< 0.11	< 0.11	< 0.12	1.0	--(1)	1.0	--(1)	--(1)	--(1)

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (6 of 14) Soil Sample Analytical Results: PCBs								Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
								Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-35 (4-8)	PB-36 (0-4)	PB-36 (4-8)	PB-37 (0-4)	PB-37 (4-8)	PB-38 (0-4)	PB-38 (4-8)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/12/10	10/12/10	10/12/10	10/12/10	10/12/10	10/12/10	10/12/10						
Aroclor 1016	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1221	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1232	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1242	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1248	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1254	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Aroclor 1260	<0.0215	<0.0192	<0.0199	<0.0203	<0.0210	<0.0226	<0.0206	--	--	--	--	--	--
Total PCBs	< 0.12	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	1.0	--(1)	1.0	--(1)	--(1)	--(1)

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (7 of 14) Soil Sample Analytical Results: PCBs								Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
								Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-39 (0-4)	PB-39 (4-8)	PB-40 (0-4)	PB-40 (4-8)	PB-41 (0-4)	PB-41 (4-8)	PB-42 (0-4)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/12/10	10/12/10	10/12/10	10/12/10	10/12/10	10/12/10	10/13/10						
Aroclor 1016	<0.0204	<0.0209	<0.0185	<0.0210	<0.0216	<0.0208	<0.0188	--	--	--	--	--	--
Aroclor 1221	<0.0204	<0.0209	<0.0185	<0.0210	<0.0216	<0.0208	<0.0188	--	--	--	--	--	--
Aroclor 1232	<0.0204	<0.0209	<0.0185	<0.0210	<0.0216	<0.0208	<0.0188	--	--	--	--	--	--
Aroclor 1242	<0.0204	<0.0209	<0.0185	<0.0210	<0.0216	<0.0208	<0.0188	--	--	--	--	--	--
Aroclor 1248	<0.0204	<0.0209	<0.0185	<0.0210	<0.0216	<0.0208	<0.0188	--	--	--	--	--	--
Aroclor 1254	<0.0204	<0.0209	0.723	<0.0210	<0.0216	<0.0208	0.0203	--	--	--	--	--	--
Aroclor 1260	<0.0204	<0.0209	0.329	<0.0210	0.0284	<0.0208	<0.0188	--	--	--	--	--	--
Total PCBs	< 0.11	< 0.11	<b>&lt; 1.12</b>	< 0.12	< 0.12	< 0.11	< 0.10	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (8 of 14) Soil Sample Analytical Results: PCBs								Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
								Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-42 (4-8)	PB-43 (0-4)	PB-43 (4-8)	PB-44 (0-4)	PB-44 (4-8)	PB-45 (0-4)	PB-45 (4-8)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10						
Aroclor 1016	<0.0192	0.370	<0.0205	<0.0185	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1221	<0.0192	<0.197	<0.0205	<0.0185	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1232	<0.0192	<0.197	<0.0205	<0.0185	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1242	<0.0192	<0.197	<0.0205	<0.0185	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1248	<0.0192	<0.197	<0.0205	<0.0185	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1254	<0.0192	<b>1.20</b>	<0.0205	<b>1.60</b>	<0.0202	<0.0196	<0.0205	--	--	--	--	--	--
Aroclor 1260	<0.0192	<0.197	<0.0205	<b>1.77</b>	<0.0202	0.0466	<0.0205	--	--	--	--	--	--
Total PCBs	< 0.11	<b>&lt; 2.26</b>	< 0.11	<b>&lt; 3.43</b>	< 0.11	< 0.13	< 0.11	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (9 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-46 (0-4)	PB-46 (4-8)	PB-47 (0-4)	PB-47 (4-8)	PB-48 (0-4)	PB-48 (4-8)	PB-49 (0-4)	PB-49 (4-8)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10	10/13/10						
Aroclor 1016	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1221	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1232	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1242	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1248	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1254	<0.0181	<0.0204	<0.0216	<0.0203	<0.0191	<0.0203	<0.0188	<0.0200	<0.0220	--	--	--	--	--
Aroclor 1260	0.100	<0.0204	0.182	<0.0203	0.209	<0.0203	0.137	<0.0200	<0.0220	--	--	--	--	--
Total PCBs	< 0.18	< 0.11	< 0.28	< 0.11	< 0.29	< 0.11	< 0.22	< 0.11	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (10 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-50 (0-4)	PB-51 (0-4)	PB-52 (0-2.5)	PB-53 (0-2.5)	PB-54 (0-2.5)	PB-55 (0-2.5)	PB-55 (2.5-5)	PB-56 (0-2.5)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/13/10	10/13/10	10/14/10	10/14/10	10/14/10	10/14/10	10/14/10	10/14/10						
Aroclor 1016	<0.0186	<0.0202	<0.179	<0.189	<0.187	<0.183	<0.0201	0.793	--	--	--	--	--	--
Aroclor 1221	<0.0186	<0.0202	<0.179	<0.189	<0.187	<0.183	<0.0201	<0.187	--	--	--	--	--	--
Aroclor 1232	<0.0186	<0.0202	<0.179	<0.189	<0.187	<0.183	<0.0201	<0.187	--	--	--	--	--	--
Aroclor 1242	<0.0186	<0.0202	<0.179	<0.189	<0.187	<0.183	<0.0201	<0.187	--	--	--	--	--	--
Aroclor 1248	<0.0186	<0.0202	<0.179	<0.189	<0.187	<0.183	<0.0201	<0.187	--	--	--	--	--	--
Aroclor 1254	<0.0186	<0.0202	<0.179	<0.189	<0.187	<b>1.81</b>	0.026	<0.187	--	--	--	--	--	--
Aroclor 1260	<0.0186	<0.0202	0.182	0.23	<0.187	<b>1.71</b>	<0.0201	<b>3.72</b>	--	--	--	--	--	--
Total PCBs	< 0.10	< 0.11	< 0.99	<b>&lt; 1.08</b>	<b>&lt; 1.03</b>	<b>&lt; 4.16</b>	< 0.17	<b>&lt; 5.17</b>	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (11 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-56 (2.5-5)	PB-56 (5-7.5)	PB-57 (0-2.5)	PB-60 (0-2.5)	PB-60 (7.5-10)	PB-61 (0-2.5)	PB-61 (2.5-5)	PB-62 (0-4)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/14/10	10/14/10	10/14/10	10/14/10	10/14/10	10/14/10	10/14/10	10/15/10						
Aroclor 1016	<0.0202	<0.0206	<0.196	<0.189	<0.0208	<0.199	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1221	<0.0202	<0.0206	<0.196	<0.189	<0.0208	<0.199	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1232	<0.0202	<0.0206	<0.196	<0.189	<0.0208	<0.199	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1242	<0.0202	<0.0206	<0.196	<0.189	<0.0208	<0.199	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1248	<0.0202	<0.0206	<0.196	<0.189	<0.0208	<0.199	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1254	<0.0202	<0.0206	<0.196	0.255	<0.0208	<b>4.09</b>	<0.0200	<0.0177	--	--	--	--	--	--
Aroclor 1260	0.0209	<0.0206	<0.196	<0.189	<0.0208	<b>1.67</b>	<0.0200	<0.0177	--	--	--	--	--	--
Total PCBs	< 0.11	< 0.11	<b>&lt; 1.08</b>	<b>&lt; 1.11</b>	< 0.11	<b>&lt; 6.46</b>	< 0.11	< 0.10	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (12 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-63 (0-4)	PB-64 (0-4)	PB-64 (4-8)	PB-65 (0-4)	PB-66 (0-4)	PB-66 (4-8)	PB-67 (0-4)	PB-67 (4-8)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/15/10	10/15/10		10/15/10	10/15/10	10/15/10	10/15/10							
Aroclor 1016	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1221	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1232	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1242	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1248	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1254	<0.0183	0.0834	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Aroclor 1260	<0.0183	<0.0198	< 0.0197	<0.0175	<0.0174	<0.0204	<0.0205	< 0.0192	--	--	--	--	--	--
Total PCBs	< 0.10	< 0.17	< 0.11	< 0.10	< 0.10	< 0.11	< 0.11	< 0.11	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (13 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-68 (0-4)	PB-68 (4-8)	PB-69 (0-2.5)	PB-69 (2.5-5)	PB-69 (0-4)	PB-70 (0-2.5)	PB-70 (0-4)	PB-70 (5-7.5)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/15/10	10/15/10	10/18/10	10/18/10	10/18/10	10/18/10	10/18/10	10/18/10						
Aroclor 1016	<0.0195	< 0.0200	<0.0189	<0.0199	<0.0202	<0.197	<0.195	<0.0167	--	--	--	--	--	--
Aroclor 1221	<0.0195	< 0.0200	<0.0189	<0.0199	<0.0202	<0.197	<0.195	<0.0167	--	--	--	--	--	--
Aroclor 1232	<0.0195	< 0.0200	<0.0189	<0.0199	<0.0202	<0.197	<0.195	<0.0167	--	--	--	--	--	--
Aroclor 1242	<0.0195	< 0.0200	<0.0189	<0.0199	<0.0202	<0.197	<0.195	<0.0167	--	--	--	--	--	--
Aroclor 1248	<0.0195	< 0.0200	<0.0189	<0.0199	<0.0202	<b>5.18</b>	<b>8.9</b>	<0.0167	--	--	--	--	--	--
Aroclor 1254	<0.0195	< 0.0200	0.234	0.401	0.288	<0.197	<b>8.9</b>	<0.0167	--	--	--	--	--	--
Aroclor 1260	<0.0195	< 0.0200	0.136	0.175	0.108	<b>1.96</b>	<b>2.92</b>	<0.0167	--	--	--	--	--	--
Total PCBs	< 0.11	< 0.11	< 0.44	< 0.74	< 0.47	<b>&lt; 7.83</b>	<b>&lt; 21.2</b>	< 0.09	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761

TABLE NO. 6 (14 of 14) Soil Sample Analytical Results: PCBs									Tier 1 Soil Remediation Objectives (Tier 1 SROs)					
									Residential		Construction Worker		Migration to Groundwater	
Sample ID (Interval)	PB-71 (0-4)	PB-72 (0-4)	PB-73 (0-4)	PB-74 (0-4)	PB-75 (0-4)	PB-75 (4-8)	PB-76 (0-4)	PB-76 (4-8)	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
Collection Date	10/18/10	10/18/10	10/18/10	10/18/10	10/25/10	10/25/10	10/25/10	10/25/10						
Aroclor 1016	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1221	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1232	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1242	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1248	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1254	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Aroclor 1260	<0.0194	<0.0208	<0.0206	<0.0202	< 0.0210	< 0.0207	< 0.0204	< 0.0204	--	--	--	--	--	--
Total PCBs	< 0.11	< 0.11	< 0.11	< 0.11	< 0.12	< 0.11	< 0.11	< 0.11	1.0	-- <sup>(1)</sup>	1.0	-- <sup>(1)</sup>	-- <sup>(1)</sup>	-- <sup>(1)</sup>

Notes: Results listed in mg/kg (parts per million)

EPA test method SW846, 8082

**Shaded/Bolded** cell indicates value exceeds the most stringent Tier 1 SRO

"<" indicates not detected at stated detection limits

"--" indicates value not available

SROs pursuant to 35 IAC 742-Tiered Approach to Corrective Action Objectives (Appendix B, Tables A & B)

(1) Applicability requirements and methodologies for development of SROs under Tier 3 must be developed pursuant to 40 CFR Part 761